Partial English translation of letter sent by Eka chemicals

March 6, 2009

The brand name "Nyacol" has been renamed as "BINDZIL". However, please be assured that products having the brand name, BINDZIL, are identical to those having "Nyacol".

Encl.: Certificate of analysis, product data sheet, and safety data sheet of BINDZIL 9950.

エカケミカルス株式会社

〒162-0842 東京都新宿区 市谷砂土駅町 1-2-84 KSK ビル 2 階 T 03-3235-9122 P 03-3235-9127



・ 興和株式会社 富士研究所・ DDS研究部 創剤グループ三 浦 博 志 様

平成21年 3月 6日

エカケミカルス株式会社 小山美智恵

サンプル送付

拝啓 時下ますます御清栄のこと、御喜び申し上げます。

庄子にご依頼をいただいたNyacol 9950のサンブルと書類をご送付申し上げますので、ご査収の程宜しくお願い申し上げます。

なお、Nyacolというプランド名は、BINZILという名称に変更になっております。名称は変更されておりますが、成分、物性等に変更はございません。

敬具

記

BINZIL	9950	1 L
分析表		1通
製品案内		1通
MSDS		1通

以上



新加坡簡阿克蘇諾貝爾 股份有限公司台灣分公 劑

Akzo Nobel Asia Pte.Ltd.Taiwan Branch 區幼六路 9-2 號

9-2 Youth Rd. 437 Tachia, Taichung county, Taiwan

臺中縣大甲鎮幼獅工 電話: +886 4 26810335 傳真:+886 4 26810935 Telephone: +886 4 26810335 Fax; +886 4 26810935



Tomorrow's Answers Today

IFICATE OF ANALYSIS

BINDZIL 9950

Customer 客戶名稱

Eka Chemicals K.K.

Τo 收件人

Mr. Masayuki Shoji

Fax. No. 停真號碼

Your Order No. 答戶訂單號碼

Our Order No.

出貨軍號碼 Quantity

1 (kg)

數量

Lot No. 批號

N81104

Transport No. 途貨車航碼

Container No.

貨糧號碼

Certificate No.

分析報告號碼

			IS

Parameter 項目	頁目 單位 結果		Method Ir 分析方法 分	
Density	g/cm ³	1:394	AP005D	NC
Silica	%	50.5	AP054	NC
рH	•	9.0	AP009	NC
Appearance		Passed	7 11 000	110

Remarks:

備註

Sampling date: Nov. 05 . 2008 Date issued. : Mar. 02 . 2009

Signature.

Nina Chou

制訂日期: 01/01/2009

文件攝號: Q4-15-005 .

版次:4.0

頁次:1/1



PRODUCT DATA SHEET BINDZIL® 9950 COLLOIDAL SILICA

PRODUCT CHARACTERISTICS

BINDZIL® 9950 is an alkaline, aqueous dispersion of colloidal silica at 50% concentration. The dispersed silica is present as amorphous spheres. The particles carry a slightly negative charge and have a large surface area-to-weight ratio. BINDZIL® 9950 has a milky appearance.

TYPICAL PROPERTIES				
Silica, wt. %	50			
Specific Surface Area (m²/g)	80			
рН	9.0			
Viscosity, cP	15			
Na ₂ O, wt. %	. 0.1			
Density, g/cc	1.4			

END USES

BINDZIL® 9950 is a colloidal silica useful in those applications where a moderately large particle size dispersion is desired. These include miscellaneous polishing and paper industry

STORAGE, HANDLING AND PACKAGING
BINDZIL® 9950 is freeze sensitive. BINDZIL® 9950 is best stored in a dark closed tank made of non-rusting materials such as plastic or coated steel. Aluminum, copper or regular steel should be avoided. Storage temperature should be 5-35°C. BINDZIL® 9950 stored under recommended conditions; shelf life is a minimum of 12 months. BINDZIL® 9950 is shipped in plastic drums, IBCs/totes or in bulk.

HEALTH, SAFETY AND ENVIRONMENT

Before handling this material, read the corresponding Material Safety Data Sheet for health, safety and environmental information.

Revision date: Nov 2005

website: www.colloidalsilica.com

Sweden: Head Office Eka Chemicals AB Industrial Specialties SE-445 80 Bohus, Sweden Phone: +46 31 58 70 00 Fax: +46 31 58 78 59

Central Europe Akzo Nobel Chemicals GmbH Industrial Specialties Kreuzauer Str. 46 DE-52355 Düren, Germany Phone: +49 (0)2421 595633 Fax: +49 (0)2421 595635

Eka Chemicals Inc., industrial Specialties 1775 West Oak Commons Court Marietta, GA 30062, USA Phone: +1 770 578 0858 Fax: +1 770 321 5885

Eka Chemicals (Talwan) Co., Ltd 8F, B1, No 51, Sec.2., Gongyi Road, Talchung, 408, Talwan, ROC Phone: +886 4 2327 0520 Faxc +886 4 2327 0580

Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, user should determine the suitability of the product for his intended use and user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without a license.





an Akzo Nobel company

SAFETY DATA SHEET

1. Identification of the substance/preparation and the company/undertaking

Manufacturer/supplier
Eka Chemicals AB

SE-445 80 Bohus

Sweden

·Tel: +46 31 587000 Fax: +46 31 587730

Emergency Response Center (ERC)

Sweden: 020 996000 Int +46 8 3377043 Product name

ID: 10716

1097

Bindzil 9950

Chemical/Technical description

Amorphous Silica, aqueous colloidal solution.

Intended use

Inorganic binder, surface modifier and flocculating agent.

2. Composition/information on ingredients

See Section 16 for R-phrase text

This product is a preparation as defined by 99/45/EC.

Hazardous ingredients

CAS No

EEC No

Classification

R-phreses

% in product

None

3. Hazards identification

Classification Health effects Not classified as dangerous for health or as dangerous to the environment.

Mildly irritating to eyes and skin.

Environmental effects

Other effects

See Section 12. None known.

4. First ald measures

Inhalation

Move to fresh air

Skin contact

Wash off immediately with plenty of water. Seek medical advice if irritation develops. Remove

and wash contaminated clothing before re-use.

Eye contact

Immediately wash eye thoroughly with plenty of water whilst separating the eyelids. Seek

medical attention if the symptoms persist.

Ingestion

Rinse mouth. Drink plenty of water. Obtain medical attention. Do not induce vomiting!

5. Fire fighting measures

Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsultable extinguishing media

a None known.

Special protective equipment Special exposure hazards No special recommendations.

exposure hezards None known.

6. Accidental release measures

Environmental cleanup

procedures

Dam up. Soak up with inert absorbent material, if liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Collect as much as possible in a clean container for

(preferable) reuse or disposal.

Personal precautions

See Section 8.

Product name:

Bindzil 9950

Issue: 1 - INTERNATIONAL (14-Nov-2005)

Page 1 (3)





an Akzo Nobel company

SAFETY DATA SHEET

7. Handling and storage

As with all chemicals, good industrial hygiene practices should be followed when handling this Handling

material.

Keep at temperatures between 5-35°C. Store in closed dark tankers made of anti-corrosive material. Does not stand freezing. Storage

Aluminium, copper or mild steel. Materials to avoid

8. Exposure controls/personal protection

Not applicable under normal conditions of use. However, good ventilation should be provided Respiratory protection

in working areas.

Rubber/PVC gloves. Hand protection

Full working clothes recommended. Contaminated clothing should be laundered before Skin protection

re-use.

Wear as appropriate: goggles or face-shield. Eyewash fountains are recommended. Eye protection

Silica - Amorphous: (ACGIH, TWA, 10 ppm inhalable particle, 3 ppm respirable particle) Occupational exposure limits

(MAK, TWA: 4 ppm inhalable particle), (HTP, TWA: 5 ppm).

9. Physical and chemical properties

(These values are typical for the product and should not be considered as a specification)

Liquid. Form

Clear - cloudy. Colour

Slight. Odour

8-10 pH

1050 - 1400 kg/m* Density/Bulk density 0°C/100°C.

Melting/bolling point Viscosity

< 50 mPa.s Disperses (water). Solubility

Vapour pressure

Not applicable. Partition coefficient (Log Pow) Not applicable. Flash point

Not applicable. **Autoinflammability** Not applicable. Explosion limits upper/lower

10. Stability and reactivity

None known.

Hazardous decomposition

Do not allow to freeze. Avoid drying out of the sol as this can lead to a build up of dust. Conditions to avoid

Contact with acids causes the product to gel. Materials to avoid

As water.

None known. Hazardous reactions

11. Toxicological information

*Estimated from analogous products

Acute toxicity

LD50 (oral, rat) >2000 mg/kg.*

Health effects

inhalation

inhalation of aerosols/mist may cause imitation to the respiratory passages due to the pH.

May cause Irritation of the mucous membranes. Ingestion.

Mildly irritating. (Rabbit)* Skin contact

Mildly Irritating. (Rabbit)* Eye contact

Product name:

Bindzil 9950

Issue: 1 - INTERNATIONAL (14-Nov-2005)

Page 2 (3)





an Akzo Nobel company

SAFETY DATA SHEET

Sensitisation Data Not a sensitizer. (Magnusson-Kligmann test) *

Carcinogenicity/mutagenicity & Jong term effects

Negative result in genetic in vitro test. (Ames test, OECD 471)*

Reproductive/developmental

effects

No data available for this product.

Subacute, subchronic, chronic

effects

Product contains amorphous Silicon dioxide. No cases of Silicosis have been reported from

amorphous silica.

12. Ecological information

*Estimated from analogous products

Aquatio foxicity Fish: LC50/96hr/Brachydanio rerio >5000 mg/l.*

Crustacea: EC50/48hr/Ceriodaphnia = 7600 mg/l.

Algae: EC50/48hr/Selenastrum capricornutum = 440 mg/l, EC10 = 140 mg/l, LOEC = 120

mg/l, NOEC = 60 mg/L

Biodegradability Not applicable (Inorganic compound).

Bioaccumulative potential

Not expected to bioaccumulate.

Mobility

No test results: Transport to air is not expected. Under certain circumstances, transport from

earth to water may take place.

Other effects Concentrations high enough to affect pH will be harmful to aquatic organisms.

Disposai considerations

Product disposal in accordance with local and national regulations.

Packaging If recycling is not practicable, dispose of in compliance with local regulations.

14. Transport information

Transport summary Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

EU regulations The product does not need to be labelled in accordance with EC directives or respective

national laws.

Product Cas No Preparation

16. Other information

No R-Phrases in Section 2 and 3.

Use

Only for industrial use.

Other Information

This Safety Data Sheet was prepared to comply with the following EU Directives:

67/548/EEC; 99/45/EC; 2001/58/EC.

The information provided in this safety data sheet relates only to this specific product and may not be valid for the product if used with other materials in any process. The information is, at the time of publication, to the best of the Company's knowledge and belief, accurate and reliable. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability for his own purpose.

Issue Date: 14-Nov-2005

Repláces:

Print date:

14-Nov-2005

Approved by:

Ingvor Ohlsson

Issued by:

Ingvor Ohlsson

Product name:

Bindzil 9950

Issue: 1-INTERNATIONAL (14-Nov-2005)

Page 3 (3)

